## **EAST Search History**

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/593707.app.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/25 21:19
S2	1695	(Hirano-Jun Ng-Chan Ng-Chan-Wah Tan-Pek Tan-Pek Yew Koh- Tien-Ming Koh-Tien-Ming-Benjamin).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/27 11:16
\$4	8	("20030161287" "20030117965" "20040218573" "6636498").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/27 11:27
S5	10	("2003/0161287").URPN.	USPAT	OR	ON	2010/05/27 11:51
S6	1	09/993255.app.	USPAT	OR	ON	2010/05/27 11:52
S7	15421	370/312,329,331,338,349,392,396,401,466,913.ccls.	USPAT	OR	ON	2010/05/27 12:17
S8	3	(mobile near5 (node host terminal)) with (mobile near5 router) same (local near5 fixed near5 router)	USPAT	OR	ON	2010/05/27 12:19
S9	3	S8 and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/27 12:20
S10	5	(mobile near5 (node host terminal)) same (mobile near5 router) same3 (local near5 fixed near5 router)	USPAT	OR	ON	2010/05/27 12:41
S11	5	S10 and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/27 12:41

S12	0	S2 and S10	USPAT	OR	ON	2010/05/27 12:42
S13	837	(mobile near5 (node host terminal)) same (mobile near5 router)	USPAT	OR	ON	2010/05/27 12:42
S14	2	S2 and S13	USPAT	OR	ON	2010/05/27 12:43
S15	1	S4 and S13 and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/27 12:43
S16	391	S7 and S13 and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/27 12:44
S17	768	(mobile near5 (node host terminal)) with (mobile near5 router)	USPAT	OR	ON	2010/05/27 12:45
S18	360	S7 and S17 and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/27 12:45
S19	5	(mobile near5 (node host terminal)) same (mobile near5 router) and (local near5 fixed near5 router)	USPAT	OR	ON	2010/05/27 12:45
S20	141	(binding near3 updat\$3) with ((home global) adj3 address)	USPAT	OR	ON	2010/05/27 12:47
S21	245	(binding near3 updat\$3) same ((home global) adj3 address)	USPAT	OR	ON	2010/05/27 12:48
S22	115	S13 and S21 and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/27 12:48
S23	62	S13 same3 S21 and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/27 12:48
S24	245	(binding near3 updat\$3) same ((home global "care of") adj3 address)	USPAT	OR	ON	2010/05/27 20:40
S25	837	(mobile near5 (node host terminal)) same (mobile near5 router)	USPAT	OR	ON	2010/05/27 20:41
S26	62	S25 same3 S24 and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/27 20:41
S27	15421	370/312,329,331,338,349,392,396,401,466,913.ccls.	USPAT	OR	ON	2010/05/27 20:42
S28	46	S27 and S26	USPAT	OR	ON	2010/05/27 20:42

S29	10	("6167025" "20030031108" "7136365" "20040057440" "20030161287").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/28 22:21
S30	245	(binding near3 updat\$3) same ((home global "care of") adj3 address)	USPAT	OR	ON	2010/05/30 11:02
S31	837	(mobile near5 (node host terminal)) same (mobile near5 router)	USPAT	OR	ON	2010/05/30 11:02
S32	10	("6167025" "20030031108" "7136365" "20040057440" "20030161287").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/30 11:02
S33	1	S31 and S30 and S32 and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/30 11:02
S34	10	(notif\$7 inform\$5 broadcast\$3 obtain\$3 request\$3 inquir\$3) with ((home global "care of") adj3 address) near5 (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/30 13:08
S35	0	"network in motion" same3 (notif\$7 inform\$5 broadcast\$3 obtain \$3 request\$3 inquir\$3) with ((home global "care of") adj3 address) near5 (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/30 13:09
S36	10	(notif\$7 inform\$5 broadcast\$3 obtain\$3 request\$3 inquir\$3 solicit \$5) with ((home global "care of") adj3 address) near5 (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/30 13:10
S37	0	"network in motion" and (notif\$7 inform\$5 broadcast\$3 obtain\$3 request\$3 inquir\$3 solicit\$5) with ((home global "care of") adj3 address) near5 (mobile adj3 router) and (@ad<"20040325")	USPAT	OR	ON	2010/05/30 13:11
S38	0	"network in motion" same3 ((home global "care of") adj3 address) near5 (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/30 13:11
<b>S</b> 39	0	"network in motion" same3 ((home global "care of") adj3 address) with (mobile adj3 router) and (@ad<"20040325")	USPAT	OR	ON	2010/05/30 13:12

S40	13	(notif\$7 inform\$5 broadcast\$3 obtain\$3 request\$3 inquir\$3 solicit \$5) with ((home global "care of") adj3 address) with (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/30 13:12
S41	0	"network in motion" same3 (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/30 16:57
S42	0	"network in motion" and (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/30 16:57
S43	51	((home global "care of" reachable routable) adj3 address) with (mobile adj3 router)	USPAT	OR	ON	2010/05/30 16:59
S44	37	S43 and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/30 17:00
S45	37	((home global "care of" reachable routable) adj3 address) with ((mobile wireless) adj3 router) and (@ad<"20040325")	USPAT	OR	ON	2010/05/30 17:11
S46	0	(local near5 router) with (inform\$5 notif\$7 forward\$3 request\$3 obtain\$3 stor\$3) with ((home global "care of" reachable routable) adj3 address) near5 (mobile adj3 router)	USPAT	OR	ON	2010/05/31 09:21
S47	1	(local near5 router) with ((home global "care of" reachable routable) adj3 address) near5 (mobile adj3 router)	USPAT	OR	ON	2010/05/31 09:22
S48	14	(local near5 router) same address with (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/31 09:23
S49	0	(local adj3 fixed adj3 router) same (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/31 10:38
S50	2	(local adj3 fixed adj3 router) and (mobile adj3 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/05/31 10:39
S51	14	(mobile near5 (node host terminal)) with (binding adj update) with header and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 14:37
S52	0	(mobile near5 (node host terminal)) same (binding adj update) with header same (ARO (router adj2 option)) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 14:39
S53	1	(mobile near5 (node host terminal)) same (binding adj update) with header and (ARO (router adj2 option)) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 14:40
S54	839	(mobile near5 (node host terminal)) same (mobile near5 router)	USPAT	OR	ON	2010/06/01 14:42

S55	8	S54 same (binding adj update) with header and (@ad<"20040325")	USPAT	OR	ON	2010/06/01 14:42
S56	16	S54 same3 (binding adj update) with header and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 14:43
S57	14	\$54 and (ARO (router adj2 option)) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 15:10
S58	5	S54 same ((delet\$3 remov\$3 eras\$3) near5 (informaiton data field)) with packet and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 17:21
S59	14	\$54 same drop\$4 with packet and (@ad<"20040325") @rlad<"20040325")	USPAT	OR	ON	2010/06/01 17:37
S60	5	S54 same (drop\$4 discard\$3) with packet near5 (informalton data field) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 17:43
S61	70	\$54 same (default near5 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 20:37
S62	10	receiv\$3 with (default near5 router) with stor\$3 and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 20:47
S63	7	receiv\$3 with (default near5 router) same stor\$3 with address and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 20:48
S64	12	receiv\$3 with (default near5 (router gateway)) same stor\$3 with address and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 20:49
S65	13	receiv\$3 with (default near5 (router gateway)) same (sav\$3 stor\$3 record\$3) with address and (@ad<"20040325")	USPAT	OR	ON	2010/06/01 20:58
S66	33	receiv\$3 with (default near5 (router gateway)) same3 (sav\$3 stor \$3 record\$3) with address and (@ad<"20040325")	USPAT	OR	ON	2010/06/01 21:00
S67	1	S54 and (ARO "access router option") and (@ad<"20040325")	USPAT	OR	ON	2010/06/01 21:37
S68	2189	(ARO "access router option") and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 21:39
S69	0	(mobile adj3 router) same3 (ARO "access router option") and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 21:40
S70	1	(mobile adj3 router) and (ARO "access router option") and (@ad<"20040325")	USPAT	OR	ON	2010/06/01 21:40

S71	0	(mobile near5 (router node host)) same3 (ARO "access router option") and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 21:41
S72	3	Ng.in. and (ARO "access router option") and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 21:42
S73	1	"access router option" and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 21:42
S74	1	S54 and (ARO "router option") and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 21:43
S75	15	(mobile adj3 router) and (ARO (router adj2 option)) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2010/06/01 21:44
S76	4	(10/584928 10/585315 12/595231 12/528417).app.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/02 07:42
S77	839	(mobile near5 (node host terminal)) same (mobile near5 router)	USPAT	OR	ON	2010/06/02 07:43
S78	0	S77 and S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/02 07:43
S79	0	(mobile adj3 router) same3 (local adj2 fixed adj2 router) with (mobile near5 (node host terminal)) and (@ad<"20040325")	USPAT	OR	ON	2011/03/09 07:47
S80	1	(mobile adj3 router) same3 (local adj2 fixed adj2 router) same (mobile adj2 (node host terminal)) and (@ad<"20040325")	USPAT	OR	ON	2011/03/09 07:47
S81	0	(mobile adj2 (node host terminal)) with (attch\$3 connect\$3 resid \$3) with (local adj2 fixed adj2 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2011/03/09 08:36
S82	0	(mobile adj2 (node host terminal)) same (attch\$3 connect\$3 resid \$3) same (local adj2 fixed adj2 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2011/03/09 08:36

S83	1	(mobile adj2 (node host terminal)) same (attch\$3 connect\$3 resid \$3) same (local adj2 router) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2011/03/09 08:37
S84	0	(mobile adj3 router) same3 (local adj2 fixed adj2 router) same (local adj3 network) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2011/03/09 08:38
S85	2	(mobile near5 router) and (ARO (access adj2 router adj2 option)) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2012/01/16 21:37
S86	5	(mobile near5 (node host router)) and (ARO (access adj2 router adj option)) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2012/01/16 21:57
S87	10	((mobile wireless) with (router gateway)) and (ARO (access adj router adj option)) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2012/01/16 22:03
S88	0	(request\$3 with address with (access adj router)) same (ARO (access adj router adj option)) and (@ad<"20040325")	USPAT	OR	ON	2012/01/17 08:22
S89	0	((request\$3 solicit\$5 inquir\$3 acquir\$3) with address with router) same3 (ARO (access adj router adj option)) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2012/01/17 08:24
S90	1	((request\$3 solicit\$5 inquir\$3 acquir\$3) with address with router) and (ARO (access adj router adj option)) and (@ad<"20040325")	USPAT	OR	ON	2012/01/17 08:24
S91	1	(address with router) and (ARO (access adj router adj option)) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2012/01/17 08:25
S92	2286	(ARO (access adj router adj option)) and (@ad<"20040325")	USPAT	OR	ON	2012/01/17 08:25
S93	36	((request\$3 solicit\$5 inquir\$3 acquir\$3) with address) and (ARO (access adj router adj option)) and (@ad<"20040325")	USPAT	OR	ON	2012/01/17 08:26
S94	14	(address with (router gateway)) and (ARO (access adj router adjoption)) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2012/01/17 08:34
S95	1	(access adj router adj option) and (@ad<"20040325" @rlad<"20040325")	USPAT	OR	ON	2012/01/17 08:39
S96	3	(access adj router adj option) and (@ad<"20070713" @rlad<"20070713")	USPAT	OR	ON	2012/01/17 08:44

## 1/18/2012 8:14:08 AM

C:\ Documents and Settings\ yzhou\ My Documents\ EAST\ Workspaces\ 10593707.wsp